Plots from WimpAnn run in res-g

Generated on Tue Sep 25 21:39:13 CEST 2007

Run parameters

```
### Run with WimpAnn version = wimpann-2.08
###   Using Pythia version   = Pythia 6.400
###   Using nusigma version  = nusigma-1.15-pyr
###   Using DarkSUSY version = ds-4.1.6
### Neutrino oscillation parameters
#      theta_12 =  0.33200000E+02
#      theta_13 =  0.50000000E+01
#      theta_23 =  0.45000000E+02
#         delta =  0.00000000E+00
#  delta_m^2_21 =  0.81000000E-04
#  delta_m^2_31 =  -.22000000E-02
### WimpAnn run parameters
#  Number of annihilations =   2500000
```

Contents

1 Mass 10 **12**
- 1.1 Channel 1 – $c\bar{c}$ . . . 12
  - 1.1.1 Neutrino fluxes – position wise . . . 12
  - 1.1.2 Neutrino fluxes – flavour wise . . . 14
- 1.2 Channel 2 – $b\bar{b}$ . . . 15
  - 1.2.1 Neutrino fluxes – position wise . . . 15
  - 1.2.2 Neutrino fluxes – flavour wise . . . 17
- 1.3 Channel 4 – $\tau^-\tau^+$ . . . 18
  - 1.3.1 Neutrino fluxes – position wise . . . 18
  - 1.3.2 Neutrino fluxes – flavour wise . . . 20
- 1.4 Channel 12 – gg . . . 21
  - 1.4.1 Neutrino fluxes – position wise . . . 21
  - 1.4.2 Neutrino fluxes – flavour wise . . . 23
- 1.5 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 24
  - 1.5.1 Neutrino fluxes – position wise . . . 24
  - 1.5.2 Neutrino fluxes – flavour wise . . . 26
- 1.6 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 27
  - 1.6.1 Neutrino fluxes – position wise . . . 27
  - 1.6.2 Neutrino fluxes – flavour wise . . . 29
- 1.7 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 30
  - 1.7.1 Neutrino fluxes – position wise . . . 30
  - 1.7.2 Neutrino fluxes – flavour wise . . . 32

2 Mass 25 **33**
- 2.1 Channel 1 – $c\bar{c}$ . . . 33
  - 2.1.1 Neutrino fluxes – position wise . . . 33
  - 2.1.2 Neutrino fluxes – flavour wise . . . 35
- 2.2 Channel 2 – $b\bar{b}$ . . . 36
  - 2.2.1 Neutrino fluxes – position wise . . . 36
  - 2.2.2 Neutrino fluxes – flavour wise . . . 38
- 2.3 Channel 4 – $\tau^-\tau^+$ . . . 39
  - 2.3.1 Neutrino fluxes – position wise . . . 39
  - 2.3.2 Neutrino fluxes – flavour wise . . . 41
- 2.4 Channel 12 – gg . . . 42
  - 2.4.1 Neutrino fluxes – position wise . . . 42
  - 2.4.2 Neutrino fluxes – flavour wise . . . 44
- 2.5 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 45
  - 2.5.1 Neutrino fluxes – position wise . . . 45
  - 2.5.2 Neutrino fluxes – flavour wise . . . 47
- 2.6 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 48
  - 2.6.1 Neutrino fluxes – position wise . . . 48
  - 2.6.2 Neutrino fluxes – flavour wise . . . 50
- 2.7 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 51
  - 2.7.1 Neutrino fluxes – position wise . . . 51
  - 2.7.2 Neutrino fluxes – flavour wise . . . 53

3 Mass 50 **54**
- 3.1 Channel 1 – $c\bar{c}$ . . . 54
  - 3.1.1 Neutrino fluxes – position wise . . . 54
  - 3.1.2 Neutrino fluxes – flavour wise . . . 56
- 3.2 Channel 2 – $b\bar{b}$ . . . 57
  - 3.2.1 Neutrino fluxes – position wise . . . 57
  - 3.2.2 Neutrino fluxes – flavour wise . . . 59
- 3.3 Channel 4 – $\tau^-\tau^+$ . . . 60
  - 3.3.1 Neutrino fluxes – position wise . . . 60
  - 3.3.2 Neutrino fluxes – flavour wise . . . 62
- 3.4 Channel 12 – gg . . . 63

3.4.1 Neutrino fluxes – position wise . . . 63
3.4.2 Neutrino fluxes – flavour wise . . . 65
3.5 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 66
3.5.1 Neutrino fluxes – position wise . . . 66
3.5.2 Neutrino fluxes – flavour wise . . . 68
3.6 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 69
3.6.1 Neutrino fluxes – position wise . . . 69
3.6.2 Neutrino fluxes – flavour wise . . . 71
3.7 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 72
3.7.1 Neutrino fluxes – position wise . . . 72
3.7.2 Neutrino fluxes – flavour wise . . . 74

4 Mass 80.3 **75**
4.1 Channel 1 – $c\bar{c}$ . . . 75
4.1.1 Neutrino fluxes – position wise . . . 75
4.1.2 Neutrino fluxes – flavour wise . . . 77
4.2 Channel 2 – $b\bar{b}$ . . . 78
4.2.1 Neutrino fluxes – position wise . . . 78
4.2.2 Neutrino fluxes – flavour wise . . . 80
4.3 Channel 4 – $\tau^-\tau^+$ . . . 81
4.3.1 Neutrino fluxes – position wise . . . 81
4.3.2 Neutrino fluxes – flavour wise . . . 83
4.4 Channel 5 – W^-W^+ . . . 84
4.4.1 Neutrino fluxes – position wise . . . 84
4.4.2 Neutrino fluxes – flavour wise . . . 86
4.5 Channel 12 – gg . . . 87
4.5.1 Neutrino fluxes – position wise . . . 87
4.5.2 Neutrino fluxes – flavour wise . . . 89
4.6 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 90
4.6.1 Neutrino fluxes – position wise . . . 90
4.6.2 Neutrino fluxes – flavour wise . . . 92
4.7 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 93
4.7.1 Neutrino fluxes – position wise . . . 93
4.7.2 Neutrino fluxes – flavour wise . . . 95
4.8 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 96
4.8.1 Neutrino fluxes – position wise . . . 96
4.8.2 Neutrino fluxes – flavour wise . . . 98

5 Mass 91.2 **99**
5.1 Channel 1 – $c\bar{c}$ . . . 99
5.1.1 Neutrino fluxes – position wise . . . 99
5.1.2 Neutrino fluxes – flavour wise . . . 101
5.2 Channel 2 – $b\bar{b}$ . . . 102
5.2.1 Neutrino fluxes – position wise . . . 102
5.2.2 Neutrino fluxes – flavour wise . . . 104
5.3 Channel 4 – $\tau^-\tau^+$ . . . 105
5.3.1 Neutrino fluxes – position wise . . . 105
5.3.2 Neutrino fluxes – flavour wise . . . 107
5.4 Channel 5 – W^-W^+ . . . 108
5.4.1 Neutrino fluxes – position wise . . . 108
5.4.2 Neutrino fluxes – flavour wise . . . 110
5.5 Channel 6 – Z^0Z^0 . . . 111
5.5.1 Neutrino fluxes – position wise . . . 111
5.5.2 Neutrino fluxes – flavour wise . . . 113
5.6 Channel 12 – gg . . . 114
5.6.1 Neutrino fluxes – position wise . . . 114
5.6.2 Neutrino fluxes – flavour wise . . . 116
5.7 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 117
5.7.1 Neutrino fluxes – position wise . . . 117

5.7.2 Neutrino fluxes – flavour wise . . . 119
5.8 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 120
5.8.1 Neutrino fluxes – position wise . . . 120
5.8.2 Neutrino fluxes – flavour wise . . . 122
5.9 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 123
5.9.1 Neutrino fluxes – position wise . . . 123
5.9.2 Neutrino fluxes – flavour wise . . . 125

6 Mass 100 **126**
6.1 Channel 1 – $c\bar{c}$ . . . 126
6.1.1 Neutrino fluxes – position wise . . . 126
6.1.2 Neutrino fluxes – flavour wise . . . 128
6.2 Channel 2 – $b\bar{b}$ . . . 129
6.2.1 Neutrino fluxes – position wise . . . 129
6.2.2 Neutrino fluxes – flavour wise . . . 131
6.3 Channel 4 – $\tau^-\tau^+$ . . . 132
6.3.1 Neutrino fluxes – position wise . . . 132
6.3.2 Neutrino fluxes – flavour wise . . . 134
6.4 Channel 5 – W^-W^+ . . . 135
6.4.1 Neutrino fluxes – position wise . . . 135
6.4.2 Neutrino fluxes – flavour wise . . . 137
6.5 Channel 6 – Z^0Z^0 . . . 138
6.5.1 Neutrino fluxes – position wise . . . 138
6.5.2 Neutrino fluxes – flavour wise . . . 140
6.6 Channel 12 – gg . . . 141
6.6.1 Neutrino fluxes – position wise . . . 141
6.6.2 Neutrino fluxes – flavour wise . . . 143
6.7 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 144
6.7.1 Neutrino fluxes – position wise . . . 144
6.7.2 Neutrino fluxes – flavour wise . . . 146
6.8 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 147
6.8.1 Neutrino fluxes – position wise . . . 147
6.8.2 Neutrino fluxes – flavour wise . . . 149
6.9 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 150
6.9.1 Neutrino fluxes – position wise . . . 150
6.9.2 Neutrino fluxes – flavour wise . . . 152

7 Mass 150 **153**
7.1 Channel 1 – $c\bar{c}$ . . . 153
7.1.1 Neutrino fluxes – position wise . . . 153
7.1.2 Neutrino fluxes – flavour wise . . . 155
7.2 Channel 2 – $b\bar{b}$ . . . 156
7.2.1 Neutrino fluxes – position wise . . . 156
7.2.2 Neutrino fluxes – flavour wise . . . 158
7.3 Channel 4 – $\tau^-\tau^+$ . . . 159
7.3.1 Neutrino fluxes – position wise . . . 159
7.3.2 Neutrino fluxes – flavour wise . . . 161
7.4 Channel 5 – W^-W^+ . . . 162
7.4.1 Neutrino fluxes – position wise . . . 162
7.4.2 Neutrino fluxes – flavour wise . . . 164
7.5 Channel 6 – Z^0Z^0 . . . 165
7.5.1 Neutrino fluxes – position wise . . . 165
7.5.2 Neutrino fluxes – flavour wise . . . 167
7.6 Channel 12 – gg . . . 168
7.6.1 Neutrino fluxes – position wise . . . 168
7.6.2 Neutrino fluxes – flavour wise . . . 170
7.7 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 171
7.7.1 Neutrino fluxes – position wise . . . 171
7.7.2 Neutrino fluxes – flavour wise . . . 173

7.8 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 174
7.8.1 Neutrino fluxes – position wise . . . 174
7.8.2 Neutrino fluxes – flavour wise . . . 176
7.9 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 177
7.9.1 Neutrino fluxes – position wise . . . 177
7.9.2 Neutrino fluxes – flavour wise . . . 179

8 Mass 176 **180**
8.1 Channel 1 – $c\bar{c}$ . . . 180
8.1.1 Neutrino fluxes – position wise . . . 180
8.1.2 Neutrino fluxes – flavour wise . . . 182
8.2 Channel 2 – $b\bar{b}$ . . . 183
8.2.1 Neutrino fluxes – position wise . . . 183
8.2.2 Neutrino fluxes – flavour wise . . . 185
8.3 Channel 3 – $t\bar{t}$ . . . 186
8.3.1 Neutrino fluxes – position wise . . . 186
8.3.2 Neutrino fluxes – flavour wise . . . 188
8.4 Channel 4 – $\tau^-\tau^+$ . . . 189
8.4.1 Neutrino fluxes – position wise . . . 189
8.4.2 Neutrino fluxes – flavour wise . . . 191
8.5 Channel 5 – W^-W^+ . . . 192
8.5.1 Neutrino fluxes – position wise . . . 192
8.5.2 Neutrino fluxes – flavour wise . . . 194
8.6 Channel 6 – Z^0Z^0 . . . 195
8.6.1 Neutrino fluxes – position wise . . . 195
8.6.2 Neutrino fluxes – flavour wise . . . 197
8.7 Channel 12 – gg . . . 198
8.7.1 Neutrino fluxes – position wise . . . 198
8.7.2 Neutrino fluxes – flavour wise . . . 200
8.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 201
8.8.1 Neutrino fluxes – position wise . . . 201
8.8.2 Neutrino fluxes – flavour wise . . . 203
8.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 204
8.9.1 Neutrino fluxes – position wise . . . 204
8.9.2 Neutrino fluxes – flavour wise . . . 206
8.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 207
8.10.1 Neutrino fluxes – position wise . . . 207
8.10.2 Neutrino fluxes – flavour wise . . . 209

9 Mass 200 **210**
9.1 Channel 1 – $c\bar{c}$ . . . 210
9.1.1 Neutrino fluxes – position wise . . . 210
9.1.2 Neutrino fluxes – flavour wise . . . 212
9.2 Channel 2 – $b\bar{b}$ . . . 213
9.2.1 Neutrino fluxes – position wise . . . 213
9.2.2 Neutrino fluxes – flavour wise . . . 215
9.3 Channel 3 – $t\bar{t}$ . . . 216
9.3.1 Neutrino fluxes – position wise . . . 216
9.3.2 Neutrino fluxes – flavour wise . . . 218
9.4 Channel 4 – $\tau^-\tau^+$ . . . 219
9.4.1 Neutrino fluxes – position wise . . . 219
9.4.2 Neutrino fluxes – flavour wise . . . 221
9.5 Channel 5 – W^-W^+ . . . 222
9.5.1 Neutrino fluxes – position wise . . . 222
9.5.2 Neutrino fluxes – flavour wise . . . 224
9.6 Channel 6 – Z^0Z^0 . . . 225
9.6.1 Neutrino fluxes – position wise . . . 225
9.6.2 Neutrino fluxes – flavour wise . . . 227
9.7 Channel 12 – gg . . . 228

9.7.1 Neutrino fluxes – position wise . . . 228
9.7.2 Neutrino fluxes – flavour wise . . . 230
9.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 231
9.8.1 Neutrino fluxes – position wise . . . 231
9.8.2 Neutrino fluxes – flavour wise . . . 233
9.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 234
9.9.1 Neutrino fluxes – position wise . . . 234
9.9.2 Neutrino fluxes – flavour wise . . . 236
9.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 237
9.10.1 Neutrino fluxes – position wise . . . 237
9.10.2 Neutrino fluxes – flavour wise . . . 239

10 Mass 250 **240**
10.1 Channel 1 – $c\bar{c}$ . . . 240
10.1.1 Neutrino fluxes – position wise . . . 240
10.1.2 Neutrino fluxes – flavour wise . . . 242
10.2 Channel 2 – $b\bar{b}$ . . . 243
10.2.1 Neutrino fluxes – position wise . . . 243
10.2.2 Neutrino fluxes – flavour wise . . . 245
10.3 Channel 3 – $t\bar{t}$ . . . 246
10.3.1 Neutrino fluxes – position wise . . . 246
10.3.2 Neutrino fluxes – flavour wise . . . 248
10.4 Channel 4 – $\tau^-\tau^+$ . . . 249
10.4.1 Neutrino fluxes – position wise . . . 249
10.4.2 Neutrino fluxes – flavour wise . . . 251
10.5 Channel 5 – W^-W^+ . . . 252
10.5.1 Neutrino fluxes – position wise . . . 252
10.5.2 Neutrino fluxes – flavour wise . . . 254
10.6 Channel 6 – Z^0Z^0 . . . 255
10.6.1 Neutrino fluxes – position wise . . . 255
10.6.2 Neutrino fluxes – flavour wise . . . 257
10.7 Channel 12 – gg . . . 258
10.7.1 Neutrino fluxes – position wise . . . 258
10.7.2 Neutrino fluxes – flavour wise . . . 260
10.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 261
10.8.1 Neutrino fluxes – position wise . . . 261
10.8.2 Neutrino fluxes – flavour wise . . . 263
10.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 264
10.9.1 Neutrino fluxes – position wise . . . 264
10.9.2 Neutrino fluxes – flavour wise . . . 266
10.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 267
10.10.1 Neutrino fluxes – position wise . . . 267
10.10.2 Neutrino fluxes – flavour wise . . . 269

11 Mass 350 **270**
11.1 Channel 1 – $c\bar{c}$ . . . 270
11.1.1 Neutrino fluxes – position wise . . . 270
11.1.2 Neutrino fluxes – flavour wise . . . 272
11.2 Channel 2 – $b\bar{b}$ . . . 273
11.2.1 Neutrino fluxes – position wise . . . 273
11.2.2 Neutrino fluxes – flavour wise . . . 275
11.3 Channel 3 – $t\bar{t}$ . . . 276
11.3.1 Neutrino fluxes – position wise . . . 276
11.3.2 Neutrino fluxes – flavour wise . . . 278
11.4 Channel 4 – $\tau^-\tau^+$ . . . 279
11.4.1 Neutrino fluxes – position wise . . . 279
11.4.2 Neutrino fluxes – flavour wise . . . 281
11.5 Channel 5 – W^-W^+ . . . 282
11.5.1 Neutrino fluxes – position wise . . . 282

11.5.2 Neutrino fluxes – flavour wise . . . 284
11.6 Channel 6 – Z^0Z^0 . . . 285
11.6.1 Neutrino fluxes – position wise . . . 285
11.6.2 Neutrino fluxes – flavour wise . . . 287
11.7 Channel 12 – gg . . . 288
11.7.1 Neutrino fluxes – position wise . . . 288
11.7.2 Neutrino fluxes – flavour wise . . . 290
11.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 291
11.8.1 Neutrino fluxes – position wise . . . 291
11.8.2 Neutrino fluxes – flavour wise . . . 293
11.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 294
11.9.1 Neutrino fluxes – position wise . . . 294
11.9.2 Neutrino fluxes – flavour wise . . . 296
11.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 297
11.10.1 Neutrino fluxes – position wise . . . 297
11.10.2 Neutrino fluxes – flavour wise . . . 299

12 Mass 500 **300**
12.1 Channel 1 – $c\bar{c}$ . . . 300
12.1.1 Neutrino fluxes – position wise . . . 300
12.1.2 Neutrino fluxes – flavour wise . . . 302
12.2 Channel 2 – $b\bar{b}$ . . . 303
12.2.1 Neutrino fluxes – position wise . . . 303
12.2.2 Neutrino fluxes – flavour wise . . . 305
12.3 Channel 3 – $t\bar{t}$ . . . 306
12.3.1 Neutrino fluxes – position wise . . . 306
12.3.2 Neutrino fluxes – flavour wise . . . 308
12.4 Channel 4 – $\tau^-\tau^+$ . . . 309
12.4.1 Neutrino fluxes – position wise . . . 309
12.4.2 Neutrino fluxes – flavour wise . . . 311
12.5 Channel 5 – W^-W^+ . . . 312
12.5.1 Neutrino fluxes – position wise . . . 312
12.5.2 Neutrino fluxes – flavour wise . . . 314
12.6 Channel 6 – Z^0Z^0 . . . 315
12.6.1 Neutrino fluxes – position wise . . . 315
12.6.2 Neutrino fluxes – flavour wise . . . 317
12.7 Channel 12 – gg . . . 318
12.7.1 Neutrino fluxes – position wise . . . 318
12.7.2 Neutrino fluxes – flavour wise . . . 320
12.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 321
12.8.1 Neutrino fluxes – position wise . . . 321
12.8.2 Neutrino fluxes – flavour wise . . . 323
12.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 324
12.9.1 Neutrino fluxes – position wise . . . 324
12.9.2 Neutrino fluxes – flavour wise . . . 326
12.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 327
12.10.1 Neutrino fluxes – position wise . . . 327
12.10.2 Neutrino fluxes – flavour wise . . . 329

13 Mass 750 **330**
13.1 Channel 1 – $c\bar{c}$ . . . 330
13.1.1 Neutrino fluxes – position wise . . . 330
13.1.2 Neutrino fluxes – flavour wise . . . 332
13.2 Channel 2 – $b\bar{b}$ . . . 333
13.2.1 Neutrino fluxes – position wise . . . 333
13.2.2 Neutrino fluxes – flavour wise . . . 335
13.3 Channel 3 – $t\bar{t}$ . . . 336
13.3.1 Neutrino fluxes – position wise . . . 336
13.3.2 Neutrino fluxes – flavour wise . . . 338

13.4 Channel 4 – $\tau^-\tau^+$ . . . 339
13.4.1 Neutrino fluxes – position wise . . . 339
13.4.2 Neutrino fluxes – flavour wise . . . 341
13.5 Channel 5 – W^-W^+ . . . 342
13.5.1 Neutrino fluxes – position wise . . . 342
13.5.2 Neutrino fluxes – flavour wise . . . 344
13.6 Channel 6 – Z^0Z^0 . . . 345
13.6.1 Neutrino fluxes – position wise . . . 345
13.6.2 Neutrino fluxes – flavour wise . . . 347
13.7 Channel 12 – gg . . . 348
13.7.1 Neutrino fluxes – position wise . . . 348
13.7.2 Neutrino fluxes – flavour wise . . . 350
13.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 351
13.8.1 Neutrino fluxes – position wise . . . 351
13.8.2 Neutrino fluxes – flavour wise . . . 353
13.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 354
13.9.1 Neutrino fluxes – position wise . . . 354
13.9.2 Neutrino fluxes – flavour wise . . . 356
13.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 357
13.10.1 Neutrino fluxes – position wise . . . 357
13.10.2 Neutrino fluxes – flavour wise . . . 359

14 Mass 1000 **360**
14.1 Channel 1 – $c\bar{c}$ . . . 360
14.1.1 Neutrino fluxes – position wise . . . 360
14.1.2 Neutrino fluxes – flavour wise . . . 362
14.2 Channel 2 – $b\bar{b}$ . . . 363
14.2.1 Neutrino fluxes – position wise . . . 363
14.2.2 Neutrino fluxes – flavour wise . . . 365
14.3 Channel 3 – $t\bar{t}$ . . . 366
14.3.1 Neutrino fluxes – position wise . . . 366
14.3.2 Neutrino fluxes – flavour wise . . . 368
14.4 Channel 4 – $\tau^-\tau^+$ . . . 369
14.4.1 Neutrino fluxes – position wise . . . 369
14.4.2 Neutrino fluxes – flavour wise . . . 371
14.5 Channel 5 – W^-W^+ . . . 372
14.5.1 Neutrino fluxes – position wise . . . 372
14.5.2 Neutrino fluxes – flavour wise . . . 374
14.6 Channel 6 – Z^0Z^0 . . . 375
14.6.1 Neutrino fluxes – position wise . . . 375
14.6.2 Neutrino fluxes – flavour wise . . . 377
14.7 Channel 12 – gg . . . 378
14.7.1 Neutrino fluxes – position wise . . . 378
14.7.2 Neutrino fluxes – flavour wise . . . 380
14.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 381
14.8.1 Neutrino fluxes – position wise . . . 381
14.8.2 Neutrino fluxes – flavour wise . . . 383
14.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 384
14.9.1 Neutrino fluxes – position wise . . . 384
14.9.2 Neutrino fluxes – flavour wise . . . 386
14.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 387
14.10.1 Neutrino fluxes – position wise . . . 387
14.10.2 Neutrino fluxes – flavour wise . . . 389

15 Mass 1500 **390**
15.1 Channel 1 – $c\bar{c}$ . . . 390
15.1.1 Neutrino fluxes – position wise . . . 390
15.1.2 Neutrino fluxes – flavour wise . . . 392
15.2 Channel 2 – $b\bar{b}$ . . . 393
15.2.1 Neutrino fluxes – position wise . . . 393
15.2.2 Neutrino fluxes – flavour wise . . . 395
15.3 Channel 3 – $t\bar{t}$ . . . 396
15.3.1 Neutrino fluxes – position wise . . . 396
15.3.2 Neutrino fluxes – flavour wise . . . 398
15.4 Channel 4 – $\tau^-\tau^+$ . . . 399
15.4.1 Neutrino fluxes – position wise . . . 399
15.4.2 Neutrino fluxes – flavour wise . . . 401
15.5 Channel 5 – W^-W^+ . . . 402
15.5.1 Neutrino fluxes – position wise . . . 402
15.5.2 Neutrino fluxes – flavour wise . . . 404
15.6 Channel 6 – Z^0Z^0 . . . 405
15.6.1 Neutrino fluxes – position wise . . . 405
15.6.2 Neutrino fluxes – flavour wise . . . 407
15.7 Channel 12 – gg . . . 408
15.7.1 Neutrino fluxes – position wise . . . 408
15.7.2 Neutrino fluxes – flavour wise . . . 410
15.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 411
15.8.1 Neutrino fluxes – position wise . . . 411
15.8.2 Neutrino fluxes – flavour wise . . . 413
15.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 414
15.9.1 Neutrino fluxes – position wise . . . 414
15.9.2 Neutrino fluxes – flavour wise . . . 416
15.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 417
15.10.1 Neutrino fluxes – position wise . . . 417
15.10.2 Neutrino fluxes – flavour wise . . . 419

16 Mass 2000 **420**
16.1 Channel 1 – $c\bar{c}$ . . . 420
16.1.1 Neutrino fluxes – position wise . . . 420
16.1.2 Neutrino fluxes – flavour wise . . . 422
16.2 Channel 2 – $b\bar{b}$ . . . 423
16.2.1 Neutrino fluxes – position wise . . . 423
16.2.2 Neutrino fluxes – flavour wise . . . 425
16.3 Channel 3 – $t\bar{t}$ . . . 426
16.3.1 Neutrino fluxes – position wise . . . 426
16.3.2 Neutrino fluxes – flavour wise . . . 428
16.4 Channel 4 – $\tau^-\tau^+$ . . . 429
16.4.1 Neutrino fluxes – position wise . . . 429
16.4.2 Neutrino fluxes – flavour wise . . . 431
16.5 Channel 5 – W^-W^+ . . . 432
16.5.1 Neutrino fluxes – position wise . . . 432
16.5.2 Neutrino fluxes – flavour wise . . . 434
16.6 Channel 6 – Z^0Z^0 . . . 435
16.6.1 Neutrino fluxes – position wise . . . 435
16.6.2 Neutrino fluxes – flavour wise . . . 437
16.7 Channel 12 – gg . . . 438
16.7.1 Neutrino fluxes – position wise . . . 438
16.7.2 Neutrino fluxes – flavour wise . . . 440
16.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 441
16.8.1 Neutrino fluxes – position wise . . . 441
16.8.2 Neutrino fluxes – flavour wise . . . 443
16.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 444
16.9.1 Neutrino fluxes – position wise . . . 444

16.9.2 Neutrino fluxes – flavour wise . . . 446
16.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$ . . . 447
16.10.1 Neutrino fluxes – position wise . . . 447
16.10.2 Neutrino fluxes – flavour wise . . . 449

17 Mass 3000 **450**
17.1 Channel 1 – $c\bar{c}$ . . . 450
17.1.1 Neutrino fluxes – position wise . . . 450
17.1.2 Neutrino fluxes – flavour wise . . . 452
17.2 Channel 2 – $b\bar{b}$ . . . 453
17.2.1 Neutrino fluxes – position wise . . . 453
17.2.2 Neutrino fluxes – flavour wise . . . 455
17.3 Channel 3 – $t\bar{t}$ . . . 456
17.3.1 Neutrino fluxes – position wise . . . 456
17.3.2 Neutrino fluxes – flavour wise . . . 458
17.4 Channel 4 – $\tau^-\tau^+$ . . . 459
17.4.1 Neutrino fluxes – position wise . . . 459
17.4.2 Neutrino fluxes – flavour wise . . . 461
17.5 Channel 5 – W^-W^+ . . . 462
17.5.1 Neutrino fluxes – position wise . . . 462
17.5.2 Neutrino fluxes – flavour wise . . . 464
17.6 Channel 6 – Z^0Z^0 . . . 465
17.6.1 Neutrino fluxes – position wise . . . 465
17.6.2 Neutrino fluxes – flavour wise . . . 467
17.7 Channel 12 – gg . . . 468
17.7.1 Neutrino fluxes – position wise . . . 468
17.7.2 Neutrino fluxes – flavour wise . . . 470
17.8 Channel 16 – $\nu_e \bar{\nu}_e$ . . . 471
17.8.1 Neutrino fluxes – position wise . . . 471
17.8.2 Neutrino fluxes – flavour wise . . . 473
17.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$ . . . 474
17.9.1 Neutrino fluxes – position wise . . . 474
17.9.2 Neutrino fluxes – flavour wise . . . 476
17.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$ . . . 477
17.10.1 Neutrino fluxes – position wise . . . 477
17.10.2 Neutrino fluxes – flavour wise . . . 479

18 Mass 5000 **480**
18.1 Channel 1 – $c\bar{c}$ . . . 480
18.1.1 Neutrino fluxes – position wise . . . 480
18.1.2 Neutrino fluxes – flavour wise . . . 482
18.2 Channel 2 – $b\bar{b}$ . . . 483
18.2.1 Neutrino fluxes – position wise . . . 483
18.2.2 Neutrino fluxes – flavour wise . . . 485
18.3 Channel 3 – $t\bar{t}$ . . . 486
18.3.1 Neutrino fluxes – position wise . . . 486
18.3.2 Neutrino fluxes – flavour wise . . . 488
18.4 Channel 4 – $\tau^-\tau^+$ . . . 489
18.4.1 Neutrino fluxes – position wise . . . 489
18.4.2 Neutrino fluxes – flavour wise . . . 491
18.5 Channel 5 – W^-W^+ . . . 492
18.5.1 Neutrino fluxes – position wise . . . 492
18.5.2 Neutrino fluxes – flavour wise . . . 494
18.6 Channel 6 – Z^0Z^0 . . . 495
18.6.1 Neutrino fluxes – position wise . . . 495
18.6.2 Neutrino fluxes – flavour wise . . . 497
18.7 Channel 12 – gg . . . 498
18.7.1 Neutrino fluxes – position wise . . . 498
18.7.2 Neutrino fluxes – flavour wise . . . 500

18.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 501
18.8.1 Neutrino fluxes – position wise . . . 501
18.8.2 Neutrino fluxes – flavour wise . . . 503
18.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 504
18.9.1 Neutrino fluxes – position wise . . . 504
18.9.2 Neutrino fluxes – flavour wise . . . 506
18.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 507
18.10.1 Neutrino fluxes – position wise . . . 507
18.10.2 Neutrino fluxes – flavour wise . . . 509

19 Mass 10000 **510**
19.1 Channel 1 – $c\bar{c}$ . . . 510
19.1.1 Neutrino fluxes – position wise . . . 510
19.1.2 Neutrino fluxes – flavour wise . . . 512
19.2 Channel 2 – $b\bar{b}$ . . . 513
19.2.1 Neutrino fluxes – position wise . . . 513
19.2.2 Neutrino fluxes – flavour wise . . . 515
19.3 Channel 3 – $t\bar{t}$ . . . 516
19.3.1 Neutrino fluxes – position wise . . . 516
19.3.2 Neutrino fluxes – flavour wise . . . 518
19.4 Channel 4 – $\tau^-\tau^+$ . . . 519
19.4.1 Neutrino fluxes – position wise . . . 519
19.4.2 Neutrino fluxes – flavour wise . . . 521
19.5 Channel 5 – W^-W^+ . . . 522
19.5.1 Neutrino fluxes – position wise . . . 522
19.5.2 Neutrino fluxes – flavour wise . . . 524
19.6 Channel 6 – Z^0Z^0 . . . 525
19.6.1 Neutrino fluxes – position wise . . . 525
19.6.2 Neutrino fluxes – flavour wise . . . 527
19.7 Channel 12 – gg . . . 528
19.7.1 Neutrino fluxes – position wise . . . 528
19.7.2 Neutrino fluxes – flavour wise . . . 530
19.8 Channel 16 – $\nu_e\bar{\nu}_e$ . . . 531
19.8.1 Neutrino fluxes – position wise . . . 531
19.8.2 Neutrino fluxes – flavour wise . . . 533
19.9 Channel 17 – $\nu_\mu\bar{\nu}_\mu$ . . . 534
19.9.1 Neutrino fluxes – position wise . . . 534
19.9.2 Neutrino fluxes – flavour wise . . . 536
19.10 Channel 18 – $\nu_\tau\bar{\nu}_\tau$ . . . 537
19.10.1 Neutrino fluxes – position wise . . . 537
19.10.2 Neutrino fluxes – flavour wise . . . 539

1 Mass 10

1.1 Channel 1 – $c\bar{c}$

1.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

1.1.2 Neutrino fluxes – flavour wise

1.2 Channel 2 – $b\bar{b}$

1.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

1.2.2 Neutrino fluxes – flavour wise

1.3 Channel 4 – $\tau^-\tau^+$

1.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

1.3.2 Neutrino fluxes – flavour wise

1.4 Channel 12 – gg

1.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

1.4.2 Neutrino fluxes – flavour wise

1.5 Channel 16 – $\nu_e\bar{\nu}_e$

1.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

1.5.2 Neutrino fluxes – flavour wise

1.6 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

1.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

1.6.2 Neutrino fluxes – flavour wise

1.7 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

1.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

1.7.2 Neutrino fluxes – flavour wise

2 Mass 25

2.1 Channel 1 – $c\bar{c}$

2.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 25
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 25
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

2.1.2 Neutrino fluxes – flavour wise

2.2 Channel 2 – $b\bar{b}$

2.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 25
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 25
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

2.2.2 Neutrino fluxes – flavour wise

2.3 Channel 4 – $\tau^-\tau^+$

2.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 25
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 25
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

2.3.2 Neutrino fluxes – flavour wise

2.4 Channel 12 – gg

2.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 25
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 25
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

2.4.2 Neutrino fluxes – flavour wise

2.5 Channel 16 – $\nu_e\bar{\nu}_e$

2.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 25
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 25
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

2.5.2 Neutrino fluxes – flavour wise

2.6 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

2.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 25
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 25
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

2.6.2 Neutrino fluxes – flavour wise

2.7 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

2.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 25
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 25
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

2.7.2 Neutrino fluxes – flavour wise

3 Mass 50

3.1 Channel 1 – $c\bar{c}$

3.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 50
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 50
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

3.1.2 Neutrino fluxes – flavour wise

3.2 Channel 2 – $b\bar{b}$

3.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 50
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 50
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

3.2.2 Neutrino fluxes – flavour wise

3.3 Channel 4 – $\tau^-\tau^+$

3.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 50
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 50
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

3.3.2 Neutrino fluxes – flavour wise

3.4 Channel 12 – gg

3.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 50
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 50
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

3.4.2 Neutrino fluxes – flavour wise

3.5 Channel 16 – $\nu_e\bar{\nu}_e$

3.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 50
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 50
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

3.5.2 Neutrino fluxes – flavour wise

3.6 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

3.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 50
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 50
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

3.6.2 Neutrino fluxes – flavour wise

3.7 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

3.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 50
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 50
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

3.7.2 Neutrino fluxes – flavour wise

4 Mass 80.3

4.1 Channel 1 – $c\bar{c}$

4.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.1.2 Neutrino fluxes – flavour wise

4.2 Channel 2 – $b\bar{b}$

4.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.2.2 Neutrino fluxes – flavour wise

4.3 Channel 4 – $\tau^-\tau^+$

4.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.3.2 Neutrino fluxes – flavour wise

4.4 Channel 5 – W^-W^+

4.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.4.2 Neutrino fluxes – flavour wise

4.5 Channel 12 – gg

4.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.5.2 Neutrino fluxes – flavour wise

4.6 Channel 16 – $\nu_e\bar{\nu}_e$

4.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.6.2 Neutrino fluxes – flavour wise

4.7 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

4.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.7.2 Neutrino fluxes – flavour wise

4.8 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

4.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 80.3
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

4.8.2 Neutrino fluxes – flavour wise

5 Mass 91.2

5.1 Channel 1 – $c\bar{c}$

5.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.1.2 Neutrino fluxes – flavour wise

5.2 Channel 2 – $b\bar{b}$

5.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.2.2 Neutrino fluxes – flavour wise

5.3 Channel 4 – $\tau^-\tau^+$

5.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.3.2 Neutrino fluxes – flavour wise

5.4 Channel 5 – W^-W^+

5.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.4.2 Neutrino fluxes – flavour wise

5.5 Channel 6 – Z^0Z^0

5.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.5.2 Neutrino fluxes – flavour wise

5.6 Channel 12 – gg

5.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.6.2 Neutrino fluxes – flavour wise

5.7 Channel 16 – $\nu_e\bar{\nu}_e$

5.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.7.2 Neutrino fluxes – flavour wise

5.8 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

5.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.8.2 Neutrino fluxes – flavour wise

5.9 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

5.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 91.2
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

5.9.2 Neutrino fluxes – flavour wise

6 Mass 100

6.1 Channel 1 – $c\bar{c}$

6.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.1.2 Neutrino fluxes – flavour wise

6.2 Channel 2 – $b\bar{b}$

6.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.2.2 Neutrino fluxes – flavour wise

6.3 Channel 4 – $\tau^-\tau^+$

6.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.3.2 Neutrino fluxes – flavour wise

6.4 Channel 5 – W^-W^+

6.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.4.2 Neutrino fluxes – flavour wise

6.5 Channel 6 – Z^0Z^0

6.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.5.2 Neutrino fluxes – flavour wise

6.6 Channel 12 – gg

6.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.6.2 Neutrino fluxes – flavour wise

6.7 Channel 16 – $\nu_e\bar{\nu}_e$

6.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.7.2 Neutrino fluxes – flavour wise

6.8 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

6.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.8.2 Neutrino fluxes – flavour wise

6.9 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

6.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 100
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 100
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

6.9.2 Neutrino fluxes – flavour wise

7 Mass 150

7.1 Channel 1 – $c\bar{c}$

7.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.1.2 Neutrino fluxes – flavour wise

7.2 Channel 2 – $b\bar{b}$

7.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.2.2 Neutrino fluxes – flavour wise

7.3 Channel 4 – $\tau^-\tau^+$

7.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.3.2 Neutrino fluxes – flavour wise

7.4 Channel 5 – W^-W^+

7.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.4.2 Neutrino fluxes – flavour wise

7.5 Channel 6 – Z^0Z^0

7.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.5.2 Neutrino fluxes – flavour wise

7.6 Channel 12 – gg

7.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.6.2 Neutrino fluxes – flavour wise

7.7 Channel 16 – $\nu_e\bar{\nu}_e$

7.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.7.2 Neutrino fluxes – flavour wise

7.8 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

7.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.8.2 Neutrino fluxes – flavour wise

7.9 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

7.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 150
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 150
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

7.9.2 Neutrino fluxes – flavour wise

8 Mass 176

8.1 Channel 1 – $c\bar{c}$

8.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.1.2 Neutrino fluxes – flavour wise

8.2 Channel 2 – $b\bar{b}$

8.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.2.2 Neutrino fluxes – flavour wise

8.3 Channel 3 – $t\bar{t}$

8.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.3.2 Neutrino fluxes – flavour wise

8.4 Channel 4 – $\tau^-\tau^+$

8.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.4.2 Neutrino fluxes – flavour wise

8.5 Channel 5 – W^-W^+

8.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.5.2 Neutrino fluxes – flavour wise

8.6 Channel 6 – Z^0Z^0

8.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.6.2 Neutrino fluxes – flavour wise

8.7 Channel 12 – gg

8.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.7.2 Neutrino fluxes – flavour wise

8.8 Channel 16 – $\nu_e\bar{\nu}_e$

8.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.8.2 Neutrino fluxes – flavour wise

8.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

8.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.9.2 Neutrino fluxes – flavour wise

8.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

8.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 176
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 176
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

8.10.2 Neutrino fluxes – flavour wise

9 Mass 200

9.1 Channel 1 – $c\bar{c}$

9.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.1.2 Neutrino fluxes – flavour wise

9.2 Channel 2 – $b\bar{b}$

9.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.2.2 Neutrino fluxes – flavour wise

9.3 Channel 3 – $t\bar{t}$

9.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.3.2 Neutrino fluxes – flavour wise

9.4 Channel 4 – $\tau^-\tau^+$

9.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.4.2 Neutrino fluxes – flavour wise

9.5 Channel 5 – W^-W^+

9.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.5.2 Neutrino fluxes – flavour wise

9.6 Channel 6 – Z^0Z^0

9.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.6.2 Neutrino fluxes – flavour wise

9.7 Channel 12 – gg

9.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.7.2 Neutrino fluxes – flavour wise

9.8 Channel 16 – $\nu_e\bar{\nu}_e$

9.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.8.2 Neutrino fluxes – flavour wise

9.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

9.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.9.2 Neutrino fluxes – flavour wise

9.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

9.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 200
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 200
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

9.10.2 Neutrino fluxes – flavour wise

10 Mass 250

10.1 Channel 1 – $c\bar{c}$

10.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.1.2 Neutrino fluxes – flavour wise

10.2 Channel 2 – $b\bar{b}$

10.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.2.2 Neutrino fluxes – flavour wise

10.3 Channel 3 – $t\bar{t}$

10.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.3.2 Neutrino fluxes – flavour wise

10.4 Channel 4 – $\tau^-\tau^+$

10.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.4.2 Neutrino fluxes – flavour wise

10.5 Channel 5 – W^-W^+

10.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.5.2 Neutrino fluxes – flavour wise

10.6 Channel 6 – $Z^0 Z^0$

10.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.6.2 Neutrino fluxes – flavour wise

10.7 Channel 12 – gg

10.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.7.2 Neutrino fluxes – flavour wise

10.8 Channel 16 – $\nu_e\bar{\nu}_e$

10.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.8.2 Neutrino fluxes – flavour wise

10.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

10.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.9.2 Neutrino fluxes – flavour wise

10.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

10.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 250
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 250
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

10.10.2 Neutrino fluxes – flavour wise

11 Mass 350

11.1 Channel 1 – $c\bar{c}$

11.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.1.2 Neutrino fluxes – flavour wise

11.2 Channel 2 – $b\bar{b}$

11.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.2.2 Neutrino fluxes – flavour wise

11.3 Channel 3 – $t\bar{t}$

11.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.3.2 Neutrino fluxes – flavour wise

11.4 Channel 4 – $\tau^-\tau^+$

11.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.4.2 Neutrino fluxes – flavour wise

11.5 Channel 5 – W^-W^+

11.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.5.2 Neutrino fluxes – flavour wise

11.6 Channel 6 – $Z^0 Z^0$

11.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.6.2 Neutrino fluxes – flavour wise

11.7 Channel 12 – gg

11.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.7.2 Neutrino fluxes – flavour wise

11.8 Channel 16 – $\nu_e\bar{\nu}_e$

11.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.8.2 Neutrino fluxes – flavour wise

11.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

11.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.9.2 Neutrino fluxes – flavour wise

11.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

11.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 350
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 350
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

11.10.2 Neutrino fluxes – flavour wise

12 Mass 500

12.1 Channel 1 – $c\bar{c}$

12.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.1.2 Neutrino fluxes – flavour wise

12.2 Channel 2 – $b\bar{b}$

12.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.2.2 Neutrino fluxes – flavour wise

12.3 Channel 3 – $t\bar{t}$

12.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.3.2 Neutrino fluxes – flavour wise

12.4 Channel 4 – $\tau^-\tau^+$

12.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.4.2 Neutrino fluxes – flavour wise

12.5 Channel 5 – W^-W^+

12.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.5.2 Neutrino fluxes – flavour wise

12.6 Channel 6 – $Z^0 Z^0$

12.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.6.2 Neutrino fluxes – flavour wise

12.7 Channel 12 – gg

12.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.7.2 Neutrino fluxes – flavour wise

12.8 Channel 16 – $\nu_e\bar{\nu}_e$

12.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.8.2 Neutrino fluxes – flavour wise

12.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

12.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.9.2 Neutrino fluxes – flavour wise

12.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

12.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 500
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 500
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

12.10.2 Neutrino fluxes – flavour wise

13 Mass 750

13.1 Channel 1 – $c\bar{c}$

13.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.1.2 Neutrino fluxes – flavour wise

13.2 Channel 2 – $b\bar{b}$

13.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.2.2 Neutrino fluxes – flavour wise

13.3 Channel 3 – $t\bar{t}$

13.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.3.2 Neutrino fluxes – flavour wise

13.4 Channel 4 – $\tau^-\tau^+$

13.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.4.2 Neutrino fluxes – flavour wise

13.5 Channel 5 – W^-W^+

13.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.5.2 Neutrino fluxes – flavour wise

13.6 Channel 6 – $Z^0 Z^0$

13.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.6.2 Neutrino fluxes – flavour wise

13.7 Channel 12 – gg

13.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.7.2 Neutrino fluxes – flavour wise

13.8 Channel 16 – $\nu_e\bar{\nu}_e$

13.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.8.2 Neutrino fluxes – flavour wise

13.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

13.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.9.2 Neutrino fluxes – flavour wise

13.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

13.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 750
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 750
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

13.10.2 Neutrino fluxes – flavour wise

14 Mass 1000

14.1 Channel 1 – $c\bar{c}$

14.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.1.2 Neutrino fluxes – flavour wise

14.2 Channel 2 – $b\bar{b}$

14.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.2.2 Neutrino fluxes – flavour wise

14.3 Channel 3 – $t\bar{t}$

14.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.3.2 Neutrino fluxes – flavour wise

14.4 Channel 4 – $\tau^-\tau^+$

14.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.4.2 Neutrino fluxes – flavour wise

14.5 Channel 5 – W^-W^+

14.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.5.2 Neutrino fluxes – flavour wise

14.6 Channel 6 – $Z^0 Z^0$

14.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.6.2 Neutrino fluxes – flavour wise

14.7 Channel 12 – gg

14.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.7.2 Neutrino fluxes – flavour wise

14.8 Channel 16 – $\nu_e\bar{\nu}_e$

14.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.8.2 Neutrino fluxes – flavour wise

14.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

14.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.9.2 Neutrino fluxes – flavour wise

14.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

14.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1000
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1000
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

14.10.2 Neutrino fluxes – flavour wise

15 Mass 1500

15.1 Channel 1 – $c\bar{c}$

15.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.1.2 Neutrino fluxes – flavour wise

15.2 Channel 2 – $b\bar{b}$

15.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.2.2 Neutrino fluxes – flavour wise

15.3 Channel 3 – $t\bar{t}$

15.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.3.2 Neutrino fluxes – flavour wise

15.4 Channel 4 – $\tau^-\tau^+$

15.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.4.2 Neutrino fluxes – flavour wise

15.5 Channel 5 – W^-W^+

15.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.5.2 Neutrino fluxes – flavour wise

15.6 Channel 6 – $Z^0 Z^0$

15.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.6.2 Neutrino fluxes – flavour wise

15.7 Channel 12 – gg

15.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.7.2 Neutrino fluxes – flavour wise

15.8 Channel 16 – $\nu_e\bar{\nu}_e$

15.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.8.2 Neutrino fluxes – flavour wise

15.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

15.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.9.2 Neutrino fluxes – flavour wise

15.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

15.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 1500
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 1500
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

15.10.2 Neutrino fluxes – flavour wise

16 Mass 2000

16.1 Channel 1 – $c\bar{c}$

16.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.1.2 Neutrino fluxes – flavour wise

16.2 Channel 2 – $b\bar{b}$

16.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.2.2 Neutrino fluxes – flavour wise

16.3 Channel 3 – $t\bar{t}$

16.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.3.2 Neutrino fluxes – flavour wise

16.4 Channel 4 – $\tau^-\tau^+$

16.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.4.2 Neutrino fluxes – flavour wise

16.5 Channel 5 – W^-W^+

16.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.5.2 Neutrino fluxes – flavour wise

16.6 Channel 6 – $Z^0 Z^0$

16.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.6.2 Neutrino fluxes – flavour wise

16.7 Channel 12 – gg

16.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.7.2 Neutrino fluxes – flavour wise

16.8 Channel 16 – $\nu_e\bar{\nu}_e$

16.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.8.2 Neutrino fluxes – flavour wise

16.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

16.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.9.2 Neutrino fluxes – flavour wise

16.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

16.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 2000
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 2000
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

16.10.2 Neutrino fluxes – flavour wise

17 Mass 3000

17.1 Channel 1 – $c\bar{c}$

17.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.1.2 Neutrino fluxes – flavour wise

17.2 Channel 2 – $b\bar{b}$

17.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.2.2 Neutrino fluxes – flavour wise

17.3 Channel 3 – $t\bar{t}$

17.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.3.2 Neutrino fluxes – flavour wise

17.4 Channel 4 – $\tau^-\tau^+$

17.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.4.2 Neutrino fluxes – flavour wise

17.5 Channel 5 – W^-W^+

17.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.5.2 Neutrino fluxes – flavour wise

17.6 Channel 6 – $Z^0 Z^0$

17.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.6.2 Neutrino fluxes – flavour wise

17.7 Channel 12 – gg

17.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.7.2 Neutrino fluxes – flavour wise

17.8 Channel 16 – $\nu_e\bar{\nu}_e$

17.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.8.2 Neutrino fluxes – flavour wise

17.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

17.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.9.2 Neutrino fluxes – flavour wise

17.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

17.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 3000
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 3000
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

17.10.2 Neutrino fluxes – flavour wise

18 Mass 5000

18.1 Channel 1 – $c\bar{c}$

18.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.1.2 Neutrino fluxes – flavour wise

18.2 Channel 2 – $b\bar{b}$

18.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.2.2 Neutrino fluxes – flavour wise

18.3 Channel 3 – $t\bar{t}$

18.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.3.2 Neutrino fluxes – flavour wise

18.4 Channel 4 – $\tau^-\tau^+$

18.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.4.2 Neutrino fluxes – flavour wise

18.5 Channel 5 – W^-W^+

18.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.5.2 Neutrino fluxes – flavour wise

18.6 Channel 6 – $Z^0 Z^0$

18.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.6.2 Neutrino fluxes – flavour wise

18.7 Channel 12 – gg

18.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.7.2 Neutrino fluxes – flavour wise

18.8 Channel 16 – $\nu_e\bar{\nu}_e$

18.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.8.2 Neutrino fluxes – flavour wise

18.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

18.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.9.2 Neutrino fluxes – flavour wise

18.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

18.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 5000
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 5000
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

18.10.2 Neutrino fluxes – flavour wise

19 Mass 10000

19.1 Channel 1 – $c\bar{c}$

19.1.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 1
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 1
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.1.2 Neutrino fluxes – flavour wise

19.2 Channel 2 – $b\bar{b}$

19.2.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 2
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 2
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.2.2 Neutrino fluxes – flavour wise

19.3 Channel 3 – $t\bar{t}$

19.3.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 3
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 3
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.3.2 Neutrino fluxes – flavour wise

19.4 Channel 4 – $\tau^-\tau^+$

19.4.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 4
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 4
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.4.2 Neutrino fluxes – flavour wise

19.5 Channel 5 – W^-W^+

19.5.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 5
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 5
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.5.2 Neutrino fluxes – flavour wise

19.6 Channel 6 – $Z^0 Z^0$

19.6.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 6
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 6
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.6.2 Neutrino fluxes – flavour wise

19.7 Channel 12 – gg

19.7.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 12
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 12
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.7.2 Neutrino fluxes – flavour wise

19.8 Channel 16 – $\nu_e\bar{\nu}_e$

19.8.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 16
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 16
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.8.2 Neutrino fluxes – flavour wise

19.9 Channel 17 – $\nu_\mu \bar{\nu}_\mu$

19.9.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 17
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 17
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.9.2 Neutrino fluxes – flavour wise

19.10 Channel 18 – $\nu_\tau \bar{\nu}_\tau$

19.10.1 Neutrino fluxes – position wise

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Neutrino fluxes at creation (Earth)
Mass: 10000
Channel: 18
ν_e
ν_μ
ν_τ
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

Generated with WimpSim, www.physto.se/~edsjo/wimpsim/
Antineutrino fluxes at creation (Earth)
Mass: 10000
Channel: 18
$\bar{\nu}_e$
$\bar{\nu}_\mu$
$\bar{\nu}_\tau$
dN_ν/dz (ann^{-1})
$z = E_\nu / m_\chi$

19.10.2 Neutrino fluxes – flavour wise